
Subject: Different questions about additional Things for Win32 FDS

Posted by [zunnie](#) on Sat, 05 Mar 2005 01:37:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
on @*:text:~:~YourChannel:{
  if (($nick == YourBRenBotNickName) && ($2 == !website)) {
    renrem msg [BR] Visit our website @ http://www.FanMaps.net
  }
  if (($nick == YourBRenBotNickName) && ($2 == !sounds) {
    renrem msg [BR] Sound commands (RG-CP1 required): !tt !hehe !skill !chicky
  }
  if (($nick == YourBRenBotNickName) && ($2 == !chicky)) {
    .timer 1 1 run C:\Westwood\RenegadeFDS\Server\renrem.exe -r= "sndam00achk_kill0001i1gbmg_snd.wav" ServerIP RemAdminPort RemAdminPass LocalPort
  }
  if (($nick == YourBRenBotNickName) && ($2 == !skill) {
    .timer 1 1 run C:\Westwood\RenegadeFDS\Server\renrem.exe -r= "sndamxxdsgn_dsgn014i1gbmg_snd.wav" ServerIP RemAdminPort RemAdminPass LocalPort
  }
  if (($nick == YourBRenBotNickName) && ($2 == !hehe) {
    .timer 1 1 run C:\Westwood\RenegadeFDS\Server\renrem.exe -r= "sndamtudsgn_dsgn0377a1gbmg_snd.wav" ServerIP RemAdminPort RemAdminPass LocalPort
  }
  if (($nick == YourBRenBotNickName) && ($2 == !tt) {
    .timer 1 1 run C:\Westwood\RenegadeFDS\Server\renrem.exe -r= "sndam00mstm_kill0013i1gbrs_snd.wav" ServerIP RemAdminPort RemAdminPass LocalPort
  }
}
```

Example config that could work (if firewall etc are set properly):

ServerIP 127.0.0.1

RemoteAdminPort 40400

RemoteAdminPass secret88

LocalPort 7092

A command would look like this in IRC script:

```
if (($nick == FanMapsBot) && ($2 == !tt) {
  .timer 1 1 run C:\Westwood\RenegadeFDS\Server\renrem.exe -r= "sndam00mstm_kill0013i1gbrs_snd.wav" 127.0.0.1 40400 secret88 7092
}
```