
Subject: Blaze Error

Posted by [Dorest0rm](#) on Sun, 22 Jan 2006 16:00:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

when i press FDS connect i get this error
pls tell me how 2 fix so i can get my server working

See the end of this message for details on invoking
just-in-time (JIT) debugging instead of this dialog box.

***** Exception Text *****

System.InvalidCastException: Cast from string "" to type 'Double' is not valid. --->

System.FormatException: Input string was not in a correct format.

at Microsoft.VisualBasic.CompilerServices.DoubleType.Parse(String Value, NumberFormatInfo NumberFormat)

at Microsoft.VisualBasic.CompilerServices.DoubleType.FromString(String Value, NumberFormatInfo NumberFormat)

--- End of inner exception stack trace ---

at Microsoft.VisualBasic.CompilerServices.DoubleType.FromString(String Value, NumberFormatInfo NumberFormat)

at Microsoft.VisualBasic.CompilerServices.DoubleType.FromString(String Value)

at BlazeRegulator_.NET.frmStartup.tmrAutoRotate_Tick(Object sender, EventArgs e)

at System.Windows.Forms.Timer.OnTick(EventArgs e)

at System.Windows.Forms.Timer.Callback(IntPtr hWnd, Int32 msg, IntPtr idEvent, IntPtr dwTime)

***** Loaded Assemblies *****

mscorlib

Assembly Version: 1.0.5000.0

Win32 Version: 1.1.4322.2032

CodeBase: file:///c:/windows/microsoft.net/framework/v1.1.4322/mscorlib.dll

BlazeRegulator .NET

Assembly Version: 1.50.1529.23836

Win32 Version: 1.50.1529.23836

CodeBase:

file:///I:/Westwood/Internet/RenegadeFDS/Server/BlazeR/BlazeRegulator%20.NET.exe

System.Windows.Forms

Assembly Version: 1.0.5000.0

Win32 Version: 1.1.4322.2032

CodeBase:

file:///c:/windows/assembly/gac/system.windows.forms/1.0.5000.0__b77a5c561934e089/system.windows.forms.dll

System

Assembly Version: 1.0.5000.0

Win32 Version: 1.1.4322.2032

CodeBase: file:///c:/windows/assembly/gac/system/1.0.5000.0__b77a5c561934e089/system.dll

BRLocalLadder

Assembly Version: 1.0.1529.22774

Win32 Version: 1.0.1529.22774

CodeBase: file:///I:/Westwood/Internet/RenegadeFDS/Server/BlazeR/BRLocalLadder.DLL

System.Drawing

Assembly Version: 1.0.5000.0

Win32 Version: 1.1.4322.2032

CodeBase:

file:///c:/windows/assembly/gac/system.drawing/1.0.5000.0__b03f5f7f11d50a3a/system.drawing.dll

Microsoft.VisualBasic

Assembly Version: 7.0.5000.0

Win32 Version: 7.10.6001.4

CodeBase:

file:///c:/windows/assembly/gac/microsoft.visualbasic/7.0.5000.0__b03f5f7f11d50a3a/microsoft.visualbasic.dll

System.Data

Assembly Version: 1.0.5000.0

Win32 Version: 1.1.4322.2032

CodeBase:

file:///c:/windows/assembly/gac/system.data/1.0.5000.0__b77a5c561934e089/system.data.dll

System.Xml

Assembly Version: 1.0.5000.0

Win32 Version: 1.1.4322.2032

CodeBase:

file:///c:/windows/assembly/gac/system.xml/1.0.5000.0__b77a5c561934e089/system.xml.dll

***** JIT Debugging *****

To enable just in time (JIT) debugging, the config file for this application or machine (machine.config) must have the jitDebugging value set in the system.windows.forms section. The application must also be compiled with debugging enabled.

For example:

```
<configuration>  
  <system.windows.forms jitDebugging="true" />  
</configuration>
```

When JIT debugging is enabled, any unhandled exception will be sent to the JIT debugger registered on the machine rather than being handled by this dialog.
