

---

Subject: Re: Mirc + NoNameScript  
Posted by [\\_SSnipe\\_](#) on Sun, 11 May 2008 20:29:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

that did it...but now jelly wont work..

let me take a guess

Quote:

```
on *:start: {  
  /server irc.ia-net.net  
  /server -m irc.mp-gaming.com  
  /server -m irc.elitekamikazeteam.com  
  /server -m irc.n00bstories.com  
  /server -m irc.jelly-server.com
```

change

Quote:

```
elseif ($server == irc.jelly-server.com) {  
  /nickserv identify  
  /join #jelly  
}  
}
```

to

Quote:

```
elseif ($network == jelly) {  
  
  /nickserv identify  
  /join #jelly  
}  
}
```

i got QUESTION u told me to change the ia-net and n00bstories to network not server...how did u know to only put part of the name?

heres my whole script

Quote:

```
on *:start: {
  /server irc.ia-net.net
  /server -m irc.mp-gaming.com
  /server -m irc.elitekamikazeteam.com
  /server -m irc.n00bstories.com
  /server -m irc.jelly-server.com
}
on *:connect: {
  if ($network == IA-NET) {
    /nickserv identify
    /join #xphaze
    /join #xphaze2
    /join #xphaze3
    /join #xphaze5
    /join #xphaze6
    /join #xpzm0ds
    /join #xpzmods
  }
  elseif ($server == irc.mp-gaming.com) {
    /nickserv identify
    /join #mp-apb
    /join #mp-gaming
    /join #mp-reborn
  }
  elseif ($server == irc.elitekamikazeteam.com) {
    /nickserv identify
    /join #ektsniper
    /join #EKTCW
    /join #ektrp
    /join #EKT
  }
  elseif ($network == n00bstories) {
    /nickserv identify
    /join #n00bstories
  }
  elseif ($server == irc.jelly-server.com) {
    /nickserv identify
    /join #jelly
    /join #jelly2
    /join #jelly3
    /join #jelly-ra
    /join #jelly-marathon
    /join #jchat
  }
}
```

