
Subject: Need help scripts

Posted by [my486CPU](#) on Sat, 13 Aug 2011 20:18:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'm trying to get a death zone to no longer work or be destroyed when a building gets killed. I tried JFW_Custom_Destroy_Object and JFW_Death_Send_Custom, and that didn't work. I can use those scripts to destroy say a turret when the building gets destroyed but it wont work with my death zone.

Do I need to use a different script to kill the zone?

Debug_Text-

Send Log:

Building Controller [ID 155466] created.

Building Controller [ID 155466] damaged by object 1500000303. Damage was 100.000000
72.000000 sec.

Building Controller [ID 155466] damaged by object 1500000303. Damage was 100.000000
72.000000 sec.

Building Controller [ID 155466] received custom event of type 1000000026 and param 60. Sender
was object 0. 72.000000 sec.

Building Controller [ID 155466] damaged by object 1500000303. Damage was 100.000000
72.000000 sec.

Building Controller [ID 155466] received custom event of type 1000000026 and param 40. Sender
was object 0. 72.000000 sec.

Building Controller [ID 155466] damaged by object 1500000303. Damage was 100.000000
72.000000 sec.

Building Controller [ID 155466] received custom event of type 1000000026 and param 20. Sender
was object 0. 72.000000 sec.

Building Controller [ID 155466] damaged by object 1500000303. Damage was 100.000000
72.000000 sec.

Building Controller [ID 155466] killed by object 1500000303. 72.000000 sec.

Building Controller [ID 155466] received custom event of type 1000000002 and param 0. Sender
was object 0. 72.000000 sec.

Building Controller [ID 155466] received custom event of type 1000000026 and param 0. Sender
was object 0. 72.000000 sec.

Building Controller [ID 155466] shutdown.

Receive Log:

Zone Kill [ID 100285] created.

Zone Kill [ID 100285] received custom event of type 1000 and param 1. Sender was object
155466. 72.000000 sec.

Zone Kill [ID 100285] shutdown.

