

---

Subject: Re: BRenBot Plugins

Posted by [Creed3020](#) on Sat, 05 Nov 2011 17:23:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

danpaul88 wrote on Sat, 05 November 2011 07:04The DB implementation in BRenBot is all centralised into a couple of functions so it probably wouldn't be that hard to modify it to work with MySQL, MS SQL Server, Oracle, PostgreSQL, <insert db of choice here>.

In fact, other than changing the connection string, its as simple as swapping out the database driver DBD::SQLite for DBD::MySQL or DBD::Oracle etc

Oh, and FYI;

<http://sourceforge.net/projects/sqlitebrowser/>

Should work with the latest BR database

That is good to know. Maybe I will create a copy of BR and mess around with this idea. Where would I be changing this DB driver string content?

I found the SF page yesterday from Google but a user's comment on that one led me to this page: <http://sourceforge.net/projects/sqlitedbviewer/>, which claims to be newer.

Now back to the reason I started this thread. The messages I am currently seeing in the BR console related to plugins are:

```
[18:46:41] Loading plugin biatch... Use of tied on a handle without * is deprecated at XML/Parser/Expat.pm line 447.
```

```
Success! Attempting to start plugin
```

```
[18:46:41] Loading plugin BRenBot... Use of tied on a handle without * is deprecated at XML/Parser/Expat.pm line 447.
```

```
Success! Attempting to start plugin
```

```
[18:46:41] Loading plugin custom_commands... Use of tied on a handle without * is deprecated at XML/Parser/Expat.pm line 447.
```

```
Success! Attempting to start plugin
```

What do you make of that same message?

---