
Subject: Re: BRenBot 1.53.11

Posted by [Gen_Blacky](#) on Mon, 05 Mar 2012 20:54:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

Made a test plugin to make sure there was nothing else causing problems.

Problem is caused by the xml config settings.

```
<config>
<cvar name="test" value="1"/>
</config>
```

Not sure why this is causing the problem and not in other plugins.

[13:34:17] Loading plugin TEST... Use of tied on a handle without * is deprecated at XML/Parser/Expat.pm line 447.

Can't use string ("1") as a HASH ref while "strict refs" in use at plugin.pm line 285.

=== 5272 === Sessions were started, but POE::Kernel's run() method was never called to execute them. This usually happens because an error occurred before POE::Kernel->run() could be called. Please fix any errors above this notice, and be sure that POE::Kernel->run() is called. See documentation for POE::Kernel's run() method for another way to disable this warning.

```
#TEST.pm
```

```
package TEST;
```

```
use POE;
use plugin;
```

```
our $plugin_name;
our %config;
```

```
our %additional_events =
(
);
```

```
sub start
{
my ( $session, $heap, $args ) = @_ [ SESSION, HEAP, ARG0 ];
my $kernel = $_[KERNEL];
```

```
if ( $config{'test'} == 1 )
```

```
{  
  print ( "weeeeeeeeeee\n" );  
}  
}
```

sub stop

```
{  
  my ( $session, $heap, $args ) = @_ [ SESSION, HEAP, ARG0 ];  
  my $kernel = $_ [ KERNEL ];  
}
```

1;

#TEST.xml

```
<?xml version="1.0" ?>
```

```
<plugin name="TEST">
```

```
  <events>
```

```
  </events>
```

```
  <config>
```

```
    <cvar name="test" value="1"/>
```

```
  </config>
```

```
</plugin>
```
