

---

Subject: [script]Code Release - Kamikaze Suit Crate  
Posted by [Genesis2001](#) on Thu, 13 Dec 2007 00:35:58 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm feeling generous so here you guys are!

This is for people who like to mod their Server Scripts.dll and are running SSGM.

Main code:

```
else if ((RandomIntCrate <= (percent+=Settings->CrateKamikaze)) &&
(Settings->CrateKamikaze > 0)) {
    Change_Character(sender,"CnC_Nod_Flamethrower_0_Secret");
    Commands->Attach_Script(sender, "zbl_Kamikaze_Suit_Crate", "");
    Commands->Set_Health(sender,150);
    StrFormat2(message2,"%ls picked up the kamikaze suit
crate",Get_Wide_Player_Name(sender));
    StrFormat2(message1,"ppage %d [Crate] You just picked up the kamikaze suit crate. You will
explode when you die killing anything around you whether it be friendly or
foe.",Get_Player_ID(sender));
    Console_Input(StrFormat("msg Crate: Some crazy ass %ls guy just got an experimental Ion
Suit, watch yourself
%ls!",Get_Wide_Team_Name(Team),Get_Wide_Team_Name(PTTEAM(Team)).c_str()); //Com
mands->Create_2D_WAV_Sound("m00evag_dsgn0027i1evag_snd.wav");
    if (Settings->Gamelog) {
        Vector3 pos = Commands->Get_Position(sender);
        StrFormat2(message3,"CRATE;KAMIKAZESUIT;;0;0;%f;%f;%f;%f;%f;%f;%d",pos.Y,pos.X,pos
.Z, Commands->Get_Facing(sender),
Commands->Get_Max_Health(sender),Commands->Get_Max_Shield_Strength(sender),Get_Obj
ect_Type(sender));
    }
}
```

Add the above after this crate's code in gmcrate.cpp:

```
else if ((RandomIntCrate <= (percent+=Settings->CrateThief)) && (Settings->CrateThief > 0)) {
    Commands->Give_Money(sender,(Commands->Get_Money(sender) * -1),false);
    StrFormat2(message2,"%ls picked up a Thief Crate.",Get_Wide_Player_Name(sender));
    StrFormat2(message1,"ppage %d [NS] [Crate] You got the Thief Crate, you have lost all of your
credits.",Get_Player_ID(sender));
    Create_2D_Sound_Player(sender,"m00evag_dsgn0028i1evag_snd.wav");
    if (Settings->Gamelog) {
        Vector3 pos = Commands->Get_Position(sender);
        StrFormat2(message3,"CRATE;THIEF;;%d;%s;%f;%f;%f;%f;%f;%f;%d",
Commands->Get_ID(sender), Commands->Get_Preset_Name(sender), pos.Y,pos.X,pos.Z,
Commands->Get_Facing(sender),
Commands->Get_Max_Health(sender),Commands->Get_Max_Shield_Strength(sender),Get_Obj
ect_Type(sender));
```

```
 }  
 }  
  
-----
```

Now, inside the definition of "void Crate\_Defaults()" copy and paste the following: (change any values needed to make them all add up to 100...I won't have them add up to 100 because I have more crates ^,^)

```
void Crate_Defaults() {  
    Settings->CrateWeapon = 13;  
    Settings->CrateMoney = 11;  
    Settings->CratePoints = 10;  
    Settings->CrateVehicle = 8;  
    Settings->CrateDeath = 7;  
    Settings->CrateTiberium = 4;  
    Settings->CrateAmmo = 5;  
    Settings->CrateArmor = 5;  
    Settings->CrateHealth = 5;  
    Settings->CrateCharacter = 4;  
    Settings->CrateButterFingers = 3;  
    Settings->CrateSpy = 3;  
    Settings->CrateStealth = 3;  
    Settings->CrateRefill = 4;  
    Settings->CrateBeacon = 4;  
    Settings->CrateThief = 2;  
    Settings->CrateKamikaze = 9;  
}
```

You'll need to add some entries under the [Crate] header in ssgm.ini also...

Under [Crate] add

```
Kamikaze=9
```

Now, find the definition of "void Crate\_Level\_Loaded()" inside gmcrate.cpp and replace the initialization of "Total" with the following line of code:

```
int Total = Settings->CrateDeath + Settings->CrateVehicle + Settings->CrateWeapon +  
Settings->CrateCharacter + Settings->CrateMoney + Settings->CratePoints +  
Settings->CrateTiberium + Settings->CrateAmmo + Settings->CrateHealth +  
Settings->CrateArmor + Settings->CrateRefill + Settings->CrateButterFingers +  
Settings->CrateSpy + Settings->CrateThief + Settings->CrateBeacon + Settings->CrateStealth +  
Settings->CrateKamikaze;
```

Open up gmcrate.h now and find "struct CrateSettings : public virtual SettingsLoader" and add this to the bottom of the definition:

```
int CrateKamikaze;
```

Now that we've set that up, you'll need to add the script "zbl\_Kamikaze\_Suit\_Crate" to your SSGM.

```
void zbl_Kamikaze_Suit_Crate::Created(GameObject *obj)
{
    Attach_Script_Once(obj, "JFW_Blow_Up_On_Death", "Explosion_IonCannonBeacon");
    float rand = Commands->Get_Random(29,301);
    Team = Get_Object_Type(obj);
    Commands->Start_Timer(obj, this, rand,0);
}
void zbl_Kamikaze_Suit_Crate::Timer_Expired(GameObject *obj, int number)
{
    if (number == 0)
    {
        float rand = Commands->Get_Random(0,100);
        if (rand >= 50.0f)
        {
            // nothing happens
        }
        else {
            Commands->Apply_Damage(obj, 9999.0f, "BlamoKiller", 0);
            Console_Input(StrFormat("msg Crate: Oh no! I guess that experimental kamikaze suit didn't
work too well. I hope that %ls guy didn't get hurt. :(", 
Get_Wide_Team_Name(PTTEAM(Team))).c_str());
        }
    }
}
```

ScriptRegistrant<zbl\_Kamikaze\_Suit\_Crate>  
zbl\_Kamikaze\_Suit\_Crate\_Registrant("zbl\_Kamikaze\_Suit\_Crate", "");

Hope you enjoy this.

Thanks,  
MathK1LL

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [danpaul88](#) on Thu, 13 Dec 2007 00:52:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Interesting twist, does it also damage enemy / friendly buildings that you are near? (Handy if you

stick your timed C4 on an MCT and stand next to it, double explosion on the MCT that way...)

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [Genesis2001](#) on Thu, 13 Dec 2007 01:10:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The crate simply attaches my script to you. And, my script attaches "JFW\_Blow\_Up\_On\_Death" to you with the parameter to make you blow up like an Ion cannon would.

You \*could\* mix it up and complicate it more and have you blow up with a nuclear explosion. Just play the Nuke Animation and explode with "Explosion\_NukeStrikeBeacon" (Just going off the top of my head with that preset...)

~MathK1LL

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [reborn](#) on Thu, 13 Dec 2007 02:53:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I love the timer, that's funny

Nice release

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [Genesis2001](#) on Thu, 13 Dec 2007 02:58:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks

I'm going to be attempting a release of something after Christmas break that'll make it simpler for regulators now (specifically BRenBot)

~MathK1LL

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [Hex](#) on Thu, 13 Dec 2007 12:20:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

We have a crates plugin we were working on but got to the side and never worked on again

EMP (disables and ejects players from all vehicles in xxx meters for xx time)

TeamMoney (like the normal money but the whole team gets it)

DisarmC4 (disarms all the players mines that picked the crate up)

BlownFuse (powers down base defences)

I'll upload the source later, maybe someone else can carry on were we ended

---

---

---

**Subject: Re: Code Release - Kamikaze Suit Crate**

Posted by [mrÃ£Ã§Ã·z](#) on Thu, 13 Dec 2007 15:54:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hex wrote on Thu, 13 December 2007 06:20We have a crates plugin we were working on but got to to the side and never worked on again

EMP (disables and ejects players from all vehicles in xxx meters for xx time)

TeamMoney (like the normal money but the whole team gets it)

DisarmC4 (disarms all the players mines that picked the crate up)

BlownFuse (powers down base defences)

I'll upload the source later, maybe someone else can carry on were we ended

---

EMP cannon? i created a Command in Lua which Freeze players if you type !Freeze <name>, i used KAK\_Freeze\_Object

---

---

**Subject: Re: Code Release - Kamikaze Suit Crate**

Posted by [CarrierII](#) on Thu, 13 Dec 2007 16:11:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

In the code for XpZelite somewhere there is a working fog crate, which deserves to be revived... I also think there was an EMP crate in it.

---

---

---

**Subject: Re: Code Release - Kamikaze Suit Crate**

Posted by [reborn](#) on Thu, 13 Dec 2007 16:20:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

MadRockz wrote on Thu, 13 December 2007 10:54Hex wrote on Thu, 13 December 2007

06:20We have a crates plugin we were working on but got to to the side and never worked on again

EMP (disables and ejects players from all vehicles in xxx meters for xx time)

TeamMoney (like the normal money but the whole team gets it)

DisarmC4 (disarms all the players mines that picked the crate up)

BlownFuse (powers down base defences)

I'll upload the source later, maybe someone else can carry on were we ended

EMP cannon? i created a Command in Lua which Freeze players if you type !Freeze <name>, i used KAK\_Freeze\_Object

The LUA plugin is great, people with no experience get to start coding and learning. I think Roshambo done a fantastic job with it. It's used by many people and I really think he deserves a cookie for it.

The only trouble is, everyone who uses it seems to only add shitty chat hooks with it. I really think they look tacky and crap. I hate going in a server and seeing "!turret", "!lobbygun", "!buy beacon". It wouldn't be so bad if they stopped working on character/vehicle purchases if the vehicle factory or soldier factory for their team had been destroyed, and they only worked in proximity to your base. Hell.. some don't even check their team, so a GDI person can buy an sbh or a stank.

I learned the hard way that you shouldn't do something just because you can.

End of rant (I just hate those chat hooks).

Would be cool to see that Hex

I would be interested to see how much your base defence crate differs from my one. I know myself and MathKill recycle old DA code if we can, or look to it for help if stuck. I think I am safe in assuming you do to looking at the parachutes code you posted. But everyone has their own twists to it and slight deviations (I'm not suggesting BTW that anyone is any less for doing that, why wouldn't you look at it to see how other examples have been done). I really will enjoy looking at it

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [reborn](#) on Thu, 13 Dec 2007 16:24:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

CarrierII wrote on Thu, 13 December 2007 11:11In the code for XpZelite somewhere there is a working fog crate, which deserves to be revived... I also think there was an EMP crate in it.

sorry for double post, but we posted at the same time.

I don't think the fog crate made it into the public release.

But the fog crate is pretty easy to remake. I was going to do it until I realised that the fog only works for players with BHS.dll.

It would be possible to make it "foggy" for only one player if they have bhs.dll, but if they don't then make then receive some other crate.

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Hex](#) on Thu, 13 Dec 2007 16:29:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Evil chat commands used right they are great but people over use them, only thing we have used chat commands for is !sellveh and certain commands for info

On crate topic, We all should just add all of what we have and make one big crate.

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [CarrierII](#) on Thu, 13 Dec 2007 16:41:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm sure it did, if not, I still have the MSN of one of the team members. The BHS.dll limitation is a nuisance, but like you said, the server can give a different crate if they don't have it. Doesn't stop BHS.dll players getting pwned in fog by non BHS.dll players though.

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Hex](#) on Thu, 13 Dec 2007 16:43:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a plugin rather than changing scripts directly, source attached, I know for a fact that this has some bugs in it and one that has crashed the fds before (as I said, this was put to a side)

#### File Attachments

1) [SSGM\\_2.2\\_Crates\\_Plugin.rar](#), downloaded 201 times

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [cnc95fan](#) on Thu, 13 Dec 2007 16:50:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Cool, I'll give it a test tommorow.

[EDIT]: Yuck, source code. I cannot compile Scripts.dll.

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [mrÃ£Ã§Ã£Ã·z](#) on Thu, 13 Dec 2007 17:07:51 GMT

im with you reborn, chat hooks sucks and the !buy and !tanks commands, im working on a command, !send soldier (ai soldier, already have that command)but if gdi barracks dead u cant use the !send command, but i cant get it work with the building dead, can u post a command like !buy sbh in c++ with the function, if the HoN is dead u cant use !sbh then? then i can "convert" it to lua

---

---

**Subject: Re: Code Release - Kamikaze Suit Crate**

Posted by [Hex](#) on Thu, 13 Dec 2007 17:20:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Something like

//VEHICLE\_FACTORY wf/air SOLDIER\_FACTORY bar/hand

```
if(Is_Building_Dead(Find_Building(Get_Team(id),SOLDIER_FACTORY))){  
// dead building  
return;  
}
```

---

---

**Subject: Re: Code Release - Kamikaze Suit Crate**

Posted by [mrÃ£Ã§Ã·z](#) on Thu, 13 Dec 2007 17:50:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ty Hex do u mean with SOLDIER\_FACTORY mp\_gdi\_barracks or something? and (id) 0,1 and 2?

---

---

**Subject: Re: Code Release - Kamikaze Suit Crate**

Posted by [Hex](#) on Thu, 13 Dec 2007 17:53:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

No, VEHICLE\_FACTORY = wf/air SOLDIER\_FACTORY = bar/hand, id would be how ever you are getting the players ID (id, obj, sender...)

---

---

**Subject: Re: Code Release - Kamikaze Suit Crate**

Posted by [Genesis2001](#) on Thu, 13 Dec 2007 17:56:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

EDIT: nvm.

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [Hex](#) on Thu, 13 Dec 2007 18:03:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Sorry, we seem to have hyjacked your thread :/

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [reborn](#) on Thu, 13 Dec 2007 18:04:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Yeah, sorry math

Anyway, madrocks...

```
class sbhChatCommand : public ChatCommandClass {  
    void Triggered(int ID,const TokenClass &Text,int ChatType) {  
        GameObject *obj = Get_GameObj(ID);  
        float Credits = Commands->Get_Money(obj);  
        int Team = Get_Object_Type(obj);  
        GameObject *hon = Find_Soldier_Factory(0);  
        Vector3 position;  
        position = Commands->Get_Position(obj);  
        if(hon){  
            if(Credits >= 2000 && (Team == 0 )){  
                Commands->Give_Money(obj,-2000,false);  
                Change_Character(obj,"CnC_Nod_FlameThrower_2SF");  
                Commands->Set_Position(obj,position);  
            }  
            else{  
                Console_Input(StrFormat("ppage %d You have not been charged for this purchase because you  
did not meet requirements.",Get_Player_ID(obj)).c_str());  
            }  
        }  
    }  
};  
ChatCommandRegistrant<sbhChatCommand>  
sbhChatCommandReg("!sbh",CHATTYPETEAM,0,GAMEMODE_AOW);
```

I havn't looked at your code yet hex, looking foward to it

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Genesis2001](#) on Thu, 13 Dec 2007 22:44:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hex wrote on Thu, 13 December 2007 11:03Sorry, we seem to have hyjacked your thread :/

My edit was because I was at school and was posting that when you were... and we posted the same thing.

~MathK1LL

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Gen\\_Blacky](#) on Fri, 14 Dec 2007 03:26:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hex wrote on Thu, 13 December 2007 04:20We have a crates plugin we were working on but got to to the side and never worked on again

EMP (disables and ejects players from all vehicles in xxx meters for xx time)  
TeamMoney (like the normal money but the whole team gets it)  
DisarmC4 (disarms all the players mines that picked the crate up)  
BlownFuse (powers down base defences)

I'll upload the source later, maybe someone else can carry on were we ended

I have those 2 , but not the team money.

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Genesis2001](#) on Sat, 15 Dec 2007 21:25:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
class zbl_Kamikaze_Suit_Crate : public ScriptImpClass {  
    int Team;  
    void Created(GameObject *obj);  
    void Timer_Expired(GameObject *obj, int number);  
};
```

Thanks to Hex for pointing out that I didn't post my class declaration.

~MathK1LL

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [wittebolx](#) on Sun, 30 Dec 2007 11:28:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

MathK1LL wrote on Thu, 13 December 2007 01:35I'm feeling generous so here you guys are!

This is for people who like to mod their Server Scripts.dll and are running SSGM.  
Hope you enjoy this.

Thanks,  
MathK1LL

Hex wrote on Thu, 13 December 2007 13:20We have a crates plugin we were working on but got to to the side and never worked on again

EMP (disables and ejects players from all vehicles in xxx meters for xx time)  
TeamMoney (like the normal money but the whole team gets it)  
DisarmC4 (disarms all the players mines that picked the crate up)  
BlownFuse (powers down base defences)

I'll upload the source later, maybe someone else can carry on were we ended

thx Guys!  
now i got 5 extra crates in the game  
they all work ok!

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [wittebolx](#) on Tue, 22 Jan 2008 08:20:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

reborn wrote on Thu, 13 December 2007 19:04Yeah, sorry math

Anyway, madrocks...

```
class sbhChatCommand : public ChatCommandClass {  
void Triggered(int ID,const TokenClass &Text,int ChatType) {
```

```
GameObject *obj = Get_GameObj(ID);
float Credits = Commands->Get_Money(obj);
int Team = Get_Object_Type(obj);
GameObject *hon = Find_Soldier_Factory(0);
Vector3 position;
position = Commands->Get_Position(obj);
if(hon){
if(Credits >= 2000 && (Team == 0) ){
Commands->Give_Money(obj,-2000,false);
Change_Character(obj,"CnC_Nod_FlameThrower_2SF");
Commands->Set_Position(obj,position);
}
else{
Console_Input(StrFormat("ppage %d You have not been charged for this purchase because you
did not meet requirements.",Get_Player_ID(obj)).c_str());
}
}
}
};

ChatCommandRegistrant<sbhChatCommand>
sbhChatCommandReg("!sbh",CHATTYPE_TEAM,0,GAMEMODE_AOW);
```

I havn't looked at your code yet hex, looking foward to it

you can still use this command when hand of nod is dead.  
would this work?

```
GameObject *hon = Find_Soldier_Factory(0);
Vector3 position;
position = Commands->Get_Position(obj);
if Is_Building_Dead(GameObject *hon);
```

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Genesis2001](#) on Tue, 22 Jan 2008 21:45:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

lolbump

~Zack

---

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [Hex](#) on Tue, 22 Jan 2008 23:02:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Using Change\_Character you can yes

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [Darknes2](#) on Wed, 23 Jan 2008 00:36:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

i just wanted to tell you guys \*and this is pointless in saying that i too dislike chat hook although i probly dont dislike it AS much as everyone else but i use key hooks to let players buy vehicles and all. \*i will post my code that stealths ur bound vehicle for 500 when its done!

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [reborn](#) on Wed, 23 Jan 2008 00:59:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

wittebolx wrote on Tue, 22 January 2008 03:20reborn wrote on Thu, 13 December 2007 19:04Yeah, sorry math

Anyway, madrocks...

```
class sbhChatCommand : public ChatCommandClass {  
    void Triggered(int ID,const TokenClass &Text,int ChatType) {  
        GameObject *obj = Get_GameObj(ID);  
        float Credits = Commands->Get_Money(obj);  
        int Team = Get_Object_Type(obj);  
        GameObject *hon = Find_Soldier_Factory(0);  
        Vector3 position;  
        position = Commands->Get_Position(obj);  
        if(hon){  
            if(Credits >= 2000 && (Team == 0 )){  
                Commands->Give_Money(obj,-2000,false);  
                Change_Character(obj,"CnC_Nod_FlameThrower_2SF");  
                Commands->Set_Position(obj,position);  
            }  
            else{  
                Console_Input(StrFormat("ppage %d You have not been charged for this purchase because you  
did not meet requirements.",Get_Player_ID(obj)).c_str());  
            }  
        }  
    }  
};
```

```
ChatCommandRegistrant<sbhChatCommand>
sbhChatCommandReg("!sbh",CHATTYPE_TEAM,0,GAMEMODE_AOW);
```

I havn't looked at your code yet hex, looking foward to it

you can still use this command when hand of nod is dead.  
would this work?

```
GameObject *hon = Find_Soldier_Factory(0);
Vector3 position;
position = Commands->Get_Position(obj);
if Is_Building_Dead(GameObject *hon);
```

I didn't actually test it, I thought that would work. Interesting...  
I guess what you posted would work, but I havn't tried.

Darknes2 wrote on Tue, 22 January 2008 19:36i just wanted to tell you guys \*and this is pointless in saying that i too dislike chat hook although i probly dont dislike it AS much as everyone else but i use key hooks to let players buy vehicles and all. \*i will post my code that stealths ur bound vehicle for 500 when its done!

The code you posted but removed was a little off, here it is re-written to actually work:

```
class svChatCommand : public ChatCommandClass {
void Triggered(int ID,const TokenClass &Text,int ChatType) {

GameObject *obj = Get_GameObj(ID);
GameObject *veh = Find_My_Veh(obj);
if (Commands->Get_Money(obj) <= 500){
    Console_Input(StrFormat("page %s you need at least 500$ to buy
this",Get_Player_Name(obj)).c_str());
}
else{
    Commands->Give_Money(obj, -500, 1);
    Commands->Enable_Stealth(veh, 1);
}
};

ChatCommandRegistrant<svChatCommand>
svChatCommandReg("!sv",CHATTYPE_PUBLIC,0,GAMEMODE_ALL);
```

However, it's still not very good because what if the dude doesn't have a vehichle?  
You should do something like

```
"if(veh){//do the f0sh0zzle}  
else{//msg to say you don't have a vehicle dumbass}"
```

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [HORQWER](#) on Wed, 23 Jan 2008 02:33:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

i dont get it  
how do i make those codes work on renegade?

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [reborn](#) on Wed, 23 Jan 2008 02:39:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ferkhat wrote on Tue, 22 January 2008 21:33i dont get it  
how do i make those codes work on renegade?

As a client on his server you would type !sv, as a server owner, you would paste it into gmmain.cpp from ssgm and compile it to produce a scripts.dll file. This file would then be placed on your server.

You would need visualstudio.net2005 to do this.

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [HORQWER](#) on Wed, 23 Jan 2008 19:50:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

i will definatly try this

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Darknes2](#) on Mon, 10 Mar 2008 23:19:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

im sorry guys i completely got caught up in other things and forgot bout this so here it is all finished enjoy!

```
class svChatCommand : public ChatCommandClass {  
void Triggered(int ID,const TokenClass &Text,int ChatType) {
```

```
GameObject *obj = Get_GameObj(ID);  
GameObject *veh = Find_My_Veh(obj);  
Send_Message_Player(obj,255,255,255,"Transmitting...");
```

```

Console_Input(StrFormat("sndp %d 00-n026e.wav",ID).c_str());

GameObject *MyVeh = Find_My_Veh(obj);
if (!MyVeh)
{
    Console_Input(StrFormat("page %s you have no bound vehicle! press the insert key to lock ur
vehicle to youe THEN use this!",Get_Player_Name(obj)).c_str());
}
int cost = 500;
if (Commands->Get_Money(obj) < cost)
{
    Console_Input(StrFormat("page %s you need at least $d $ to buy this",Get_Player_Name(obj),
cost).c_str());
}
else
{
    Commands->Send_Custom_Event(obj,Find_My_Veh(obj),1113,0,0);
    int ID = Get_Player_ID(obj);
    GameObject *obj = Get_GameObj(ID);
    Commands->Enable_Stealth(veh, 1);
    //GameObject *MyVeh = Find_My_Veh(obj);
    Commands->Give_Money(obj, -500, 1);
    Commands->Send_Custom_Event(obj,MyVeh,1111,0,0);
    Commands->Send_Custom_Event(obj,Find_My_Veh(obj),1112,0,0);
}
}
};

ChatCommandRegistrant<svChatCommand>
svChatCommandReg("!sv",CHATTYPE_ALL,0,GAMEMODE_ALL);

```

---



---

Subject: Re: Code Release - Kamikaze Suit Crate  
 Posted by [cpjok](#) on Tue, 11 Mar 2008 10:48:41 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

ok i did what it said but i dont know where this code gose and it has 2 ERRORS

```

Quote:void zbl_Kamikaze_Suit_Crate::Created(GameObject *obj)
{
    Attach_Script_Once(obj, "JFW_Blow_Up_On_Death", "Explosion_IonCannonBeacon");
    float rand = Commands->Get_Random(29,301);
    Team = Get_Object_Type(obj);
    Commands->Start_Timer(obj, this, rand,0);
}
void zbl_Kamikaze_Suit_Crate::Timer_Expired(GameObject *obj, int number)
{

```

```
if (number == 0)
{
    float rand = Commands->Get_Random(0,100);
    if (rand >= 50.0f)
    {
        // nothing happens
    }
    else {
        Commands->Apply_Damage(obj, 9999.0f, "BlamoKiller", 0);
        Console_Input(StrFormat("msg Crate: Oh no! I guess that experimental kamikaze suit didn't
work too well. I hope that %ls guy didn't get hurt. :(",

        Get_Wide_Team_Name(PTTEAM(Team))).c_str());
    }
}
}
```

```
ScriptRegistrant<zbl_Kamikaze_Suit_Crate>
zbl_Kamikaze_Suit_Crate_Registrant("zbl_Kamikaze_Suit_Crate", "");
```

ERROR 1 says duplicate

ERROR 2 says settings on crate are 91 evan tho there 100

---

#### File Attachments

1) [1.JPG](#), downloaded 691 times

---

## Server

File Edit View Favorites Tools Help



Search



Address C:\Westwood\RenegadeFDS\Server



### File and Folder Tasks

- Rename this
- Move this file
- Copy this file
- Publish this file
- E-mail this file
- Delete this file

### Other Places

- RenegadeFD
- My Documents
- Shared Documents
- My Computer
- My Network

### Details

#### Renegade Master Server - BZcpjok - svrcfg\_cnc.ini

```
Renegade Free Dedicated Server v1.037 BH-838 01/23/2003 - 10:59:26
Console mode active
*** Auto starting game. Type 'quit' to abort ***
Initializing Westwood Online Mode
Got server list
Got server pings
Logging onto USA Server
Logged on OK
Applying server settings
Creating game channel...
Channel created OK
```



logfile  
Text Document

### Duplicate CRC in INI file.



INIClass::Load - Duplicate Entry "float rand" in section "Crate"

OK

```
Tiberium=4
Ammo=5
Armor=5
Health=5
Character=4
ButterFingers=3
Spy=3
Stealth=3
Refill=4
Beacon=4
Thief=2
Kamikaze=9
```

```
void zbl_Kamikaze_suit_Crate::Created(GameObject *obj)
{
    Attach_Script_Once(obj, "JFW_Blow_Up_On_Death", "Explosion");
    float rand = Commands->Get_Random(29,301);
    Team = Get_Object_Type(obj);
    Commands->Start_Timer(obj, this, rand, 0);
}
void zbl_Kamikaze_suit_Crate::Timer_Expired(GameObject *obj, int
{
    if (number == 0)
    {
        float rand = Commands->Get_Random(0,100);
        if (rand >= 50.0f)
        {
            // nothing happens
        }
        else {
            Commands->Apply_Damage(obj, 9999.0f, "Blow Up");
            Console_Input(StrFormat("msg Crate: oh no"));
        }
    }
}
ScriptRegistrant<zbl_Kamikaze_suit_Crate> zbl_Kamikaze_suit_Crate
```



2) [2.JPG](#), downloaded 689 times

## Server

File Edit View Favorites Tools Help



Search



Folders



Address

C:\Westwood\RenegadeFDS\Server



### File and Folder Tasks

- Rename this
- Move this file
- Copy this file
- Publish this file
- E-mail this file
- Delete this file

### Other Places

- RenegadeFDS
- My Documents
- Shared Documents
- My Computer
- My Network

### Details

#### Renegade Master Server - BZcpjok - svrcfg\_cnc.ini

```
! Embedded with scripts.dll by RoShamBo
! www.dcomproductions.net

Loaded plugin: C:\Westwood\RenegadeFDS\Server\LuaPlugins\Luabot 01.0 Public.lua
Loaded plugin: C:\Westwood\RenegadeFDS\Server\LuaPlugins\Extra Commands.lua
Loaded plugin: C:\Westwood\RenegadeFDS\Server\LuaPlugins\Vehicle.lua
Loaded plugin: C:\Westwood\RenegadeFDS\Server\LuaPlugins\luaplugin.lua
Loaded plugin: C:\Westwood\RenegadeFDS\Server\LuaPlugins\weapons.lua
Loaded plugin: C:\Westwood\RenegadeFDS\Server\LuaPlugins\Sounds.lua
Loading level C&C_FieldTS.mix
Host: Teams have been remixed.
Load 100% complete
Level loaded OK
New settings detected and loaded from ssgm.ini!
Total crate percentages equal 91 instead of 100. Using default percentages.
Map : C&C_FieldTS.mix
Time : 0.00.00
Fps : 1
GDI : 0/16 players 0 points
NOD : 0/16 players 0 points
```

File Edit Format View Help

```
Tiberium=4
Ammo=5
Armor=5
Health=5
Character=4
ButterFingers=3
Spy=3
Stealth=3
Refill=4
Beacon=4
Thief=2
Kamikaze=9
```

```
void zbl_Kamikaze_suit_Crate::Created(GameObject *obj)
{
    Attach_Script.Once(obj, "JFW_Blow_Up_On_Death", "Explosion");
    float rand = Commands->Get_Random(29,301);
    Team = Get_Object_Type(obj);
    Commands->Start_Timer(obj, this, rand, 0);
}
void zbl_Kamikaze_suit_Crate::Timer_Expired(GameObject *obj, int
{
    if (number == 0)
    {
        float rand = Commands->Get_Random(0,100);
        if (rand >= 50.0f)
        {
            // nothing happens
        }
        else {
            Commands->Apply_Damage(obj, 9999.0f, "Blow Up");
            Console_Input(StrFormat("msg Crate: oh no"));
        }
    }
}
ScriptRegistrant<zbl_Kamikaze_suit_Crate> zbl_Kamikaze_suit_Crate
```



Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Craziac](#) on Thu, 13 Mar 2008 01:29:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Maybe you shouldn't put the C++ script in ssgm.ini...

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Ethenal](#) on Thu, 13 Mar 2008 04:29:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

LOL

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [cpjok](#) on Thu, 13 Mar 2008 16:20:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

k so were do i put it then

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Craziac](#) on Fri, 14 Mar 2008 02:02:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I thought I just read a post of yours that told people where to get VC++... Do you have that and still not know how to edit scripts.dll?

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [cpjok](#) on Fri, 14 Mar 2008 12:21:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Ye And Itsounds About Right

---

---

Subject: Re: Code Release - Kamikaze Suit Crate  
Posted by [Craziac](#) on Fri, 14 Mar 2008 23:35:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

So you've never added any code to scripts.dll? Because if you did, that's what you need to do here...

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

---

Posted by [cpjok](#) on Sat, 15 Mar 2008 10:31:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

yes i added itall the scripts followed what it said on first post put the other code it said now your done with that add this code into ssgm and it didnt say were or anything

---

---

Subject: Re: Code Release - Kamikaze Suit Crate

Posted by [reborn](#) on Sat, 15 Mar 2008 11:06:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

He meant the source code to SSGM, which would then be compiled to make scripts.dll.

He did not mean ssgm.ini.

---