Subject: Math Question #1 ***updated with the solution*** Posted by archerman on Sun, 09 Nov 2008 12:20:53 GMT

View Forum Message <> Reply to Message

i need a step by step solution for this "simple" math problem without using l'hopital's rule. you can tell the solution verbally.

enjoy.

File Attachments

1) math.JPG, downloaded 912 times

Subject: Re: Math Question #1

Posted by Carrierll on Sun, 09 Nov 2008 15:32:30 GMT

View Forum Message <> Reply to Message

If Y = Sin(5X) / 2 - 2 * Cos(2X)

then as $X \rightarrow 0$, $Y \rightarrow$ infinity.

If X = 0 then

Sin(5X) = Sin(0) = 0.

 $2 - 2\cos(2^*0) = 2 - 2\cos(0) = 2 - 2(1) = 0$. - Can't divide by zero!

Thus if X is almost 0, we have

 $Sin(5X) / 2 - 2Cos(\sim 0)$ which is

Sin(5X) / 2 - 2*(~1) which is

Some number / Some other number < 1 and close to 0. This causes the whole expression to increase in value because you're dividing by a fraction.

Subject: Re: Math Question #1

Posted by archerman on Sun, 09 Nov 2008 16:23:49 GMT

CarrierII wrote on Sun, 09 November 2008 17:32If Y = Sin(5X) / 2 - 2 * Cos(2X)

then as $X \rightarrow 0$, $Y \rightarrow$ infinity.

If X = 0 then

Sin(5X) = Sin(0) = 0.

 $2 - 2\cos(2*0) = 2 - 2\cos(0) = 2 - 2(1) = 0$. - Can't divide by zero!

Thus if X is almost 0, we have

 $Sin(5X) / 2 - 2Cos(\sim 0)$ which is

Sin(5X) / 2 - 2*(~1) which is

Some number / Some other number < 1 and close to 0. This causes the whole expression to increase in value because you're dividing by a fraction.

maybe i didnt understand, but how would you know that the numerator increases more as the denominator increases less? maybe the numerator is a fraction too. sin5x is the closest to zero, and 2-2cosx is the closest to zero as well because 2-2cosx=2-2*1=~0. so its still 0/0.

Subject: Re: Math Question #1

Posted by StealthEye on Sun, 09 Nov 2008 16:26:31 GMT

View Forum Message <> Reply to Message

Your answer is correct, carrier, however the method is not. Try the same with assuming the divident is "some number" and your approach will lead you to the limit being 0, which is not correct.

I can't really come up with a correct prove either however. Closest I can get is to say that $y=\sin(a)$ behaves like y=a for $x\sim0$ and $b=\cos(a)$ behaves like 1 in that interval. Computing the limit after substituting those gives lim=+inf. This, however, is not solid prove either (actually, it's just disguised 'I hopital).

I would expect it would be possible to rewrite the 1-cos(x) to some sin variant or vice versa and then solve it to get rid of (one of) the trig functions. 'I hopital is much easier.

Subject: Re: Math Question #1

Posted by Carrierll on Sun, 09 Nov 2008 18:05:58 GMT

My point about the "some number / some other number thing" was that the numerator doesn't matter, for small values of X, the denominator will always be a small fraction, and so the limit will always be +infinity even if the numerator is a fraction...

Oh: I should add (otherwise my reasoning is flawed) that for X < 33 degrees the numerator > denominator for this. I got that from trial and error informed by some graphs, but you could prove it by solving

Sin(5X) > 2 - 2CosX and find the values for which it is true.

Subject: Re: Math Question #1

Posted by StealthEye on Sun, 09 Nov 2008 21:39:29 GMT

View Forum Message <> Reply to Message

Solving that (without graphs) is probably just as hard as finding the limit though.

Subject: Re: Math Question #1


Posted by Nukelt15 on Sun, 09 Nov 2008 22:18:38 GMT

View Forum Message <> Reply to Message

...because it just had to be posted.

File Attachments

1) halcyon_discontinue.jpg, downloaded 257 times



Subject: Re: Math Question #1 Posted by archerman on Tue, 11 Nov 2008 09:11:23 GMT

View Forum Message <> Reply to Message

just got the solution:

File Attachments

1) solution.JPG, downloaded 646 times

```
\lim_{x\to \infty} \frac{\sin 5x}{2 \cdot 2\cos x}
\lim_{x\to \infty} \frac{\sin 5x}{2 \cdot 1 \cdot \cos x} = \cos x = 1 \cdot 2\sin^2 2(x/2)
\lim_{x\to \infty} \frac{\sin 5x}{2(1 \cdot \cos x)} = (eqn. 1)
\lim_{x\to \infty} \frac{\sin 5x}{4\sin^2 2(x/2)}
\lim_{x\to \infty} \frac{5\sin 5x}{4\sin^2 2(x/2)}
\lim_{x\to \infty} \frac{5x}{\sin^2 2(x/2)} \times (when simplified, we have eqn.1)
\lim_{x\to \infty} \frac{5}{x} = \inf(x/2)
\lim_{x\to \infty} \frac{5}{x} = \inf(x/2)
```

Subject: Re: Math Question #1

Posted by nopol10 on Tue, 11 Nov 2008 09:38:15 GMT

View Forum Message <> Reply to Message

Actually, $\lim(5/x,x,0)$ (Limit of 5/x as $x \to 0$) is not infinity as limit of 5/x as $x \to 0$ from the negative side and the limit of 5/x as $x \to 0$ from the positive side are not equal. Therefore the limit is undefined. It is infinity only when $x \to 0$ from the positive side and negative infinity when $x \to 0$ from the negative side.

Subject: Re: Math Question #1

Posted by archerman on Tue, 11 Nov 2008 11:08:33 GMT


View Forum Message <> Reply to Message

nopol10 wrote on Tue, 11 November 2008 11:38Actually, $\lim(5/x,x,0)$ (Limit of 5/x as $x \to 0$) is not infinity as limit of 5/x as $x\to 0$ from the negative side and the limit of 5/x as $x\to 0$ from the positive side are not equal. Therefore the limit is undefined. It is infinity only when $x\to 0$ from the positive side and negative infinity when $x\to 0$ from the negative side.

you are right. the graph of y=5/x is similar to y=1/x which is like:

File Attachments

1) loverx.gif, downloaded 899 times



2) solution.JPG, downloaded 665 times

$$\lim_{x\to 0} \frac{\sin 5x}{2(1-\cos x)} = \frac{\cos x=1-2\sin^2(x/2)}{1-\cos x=2\sin^2(x/2)}$$

$$\lim_{x\to 0} \frac{\sin 5x}{4\sin^2 2(x/2)}$$
 (eqn. 1)

$$\lim_{x\to0} \frac{\frac{5\sin5x}{5x}}{\frac{\sin^2(x/2)}{(x/2)^2}}$$
 (when simplified, we have eqn.1)