

---

Subject: Destroy a Building after X Amount of Time  
Posted by [Sn1per74\\*](#) on Fri, 15 Jun 2012 00:51:09 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hey Guys,  
I'm working on an attack and defend map on the M00\_Tutorial Level. I replaced all of the controllers and such with the multiplayer ones and even have the weapons factory creating vehicles. However, I need the NOD base to be destroyed if GDI defends their base long enough. The only way I could think of doing this is destroying the NOD controllers exactly one second before the game would normally end. So, is there a script that will destroy an object after a specified amount of time?  
Thanks

---

---

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [Xpert](#) on Fri, 15 Jun 2012 05:14:45 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

If all you're doing is giving GDI a victory, then why not just use a timer that will force win GDI (sort of like the FDS console command "WIN")

---

---

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [Distrbd21](#) on Fri, 15 Jun 2012 05:30:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Try getting hold of jonwil and ask him how some of his scripts work.

Here is one but I don't know exactly how it works.

JFW\_Custom\_Destroy\_All\_Buildings  
or maybe.  
JFW\_Delay\_Custom with JFW\_Damaged\_Send\_Custom\_Amount or  
JFW\_Damaged\_Send\_Custom

---

---

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [Sn1per74\\*](#) on Fri, 15 Jun 2012 06:52:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Zunnie created a script for me (z\_timer\_destroy\_object) that kills an object after a certain amount of time. I just set the parameter as 1790 seconds (29 minutes and 50 seconds for those mathematically challenged) and it destroys the buildings controllers. Worked like a charm

He said it would be included in the next set of scripts to be released- for future reference.

---

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [danpaul88](#) on Fri, 15 Jun 2012 07:47:42 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Zunnie should check if a given script exists before creating pointless duplicates.

JFW\_Destroy\_Self\_Timer

Attach to an object, it destroys itself after a set number of seconds.

Alternatively you could also have used  
JFW\_Timer\_Destroy\_Building  
or  
JFW\_Timer\_Destroy\_Object

But those would require extra parameters and thus the first would be most suitable for attaching directly to the building controller.

It's no wonder we end up with zillions of scripts in LevelEdit when people can't be bothered having a quick look at whats available and just re-implement it for no good reason.

---

---

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [Distrbd21](#) on Fri, 15 Jun 2012 10:23:27 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

danpaul88 wrote on Fri, 15 June 2012 02:47

It's no wonder we end up with zillions of scripts in LevelEdit when people can't be bothered having a quick look at whats available and just re-implement it for no good reason.

---

---

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [kamuixmod](#) on Fri, 15 Jun 2012 12:19:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

We might need more detailed Information about each script to prevent such things to happen

---

---

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [danpaul88](#) on Fri, 15 Jun 2012 12:48:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Which is why I have started writing detailed documentation for scripts, but there are a lot of them to get through.

To be fair though, in this instance, a ctrl+f for 'Destroy' in the list of scripts would turn up all three of those possibilities.

It also doesn't help that far too many of the scripts we have are written for a very specific purpose with very little flexibility, hence the proliferation of 'base defence with VTOL, without VTOL, with infantry, without infantry, with stealth, without stealth etc etc etc etc etc' type scripts. There's no reason those couldn't all have been combined into a single script with parameters to determine what it can shoot at (and, as a matter of fact, I did exactly that with dp88\_AI\_Turret).

---

---

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [Distrbd21](#) on Fri, 15 Jun 2012 16:13:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

danpaul88 wrote on Fri, 15 June 2012 07:48 Which is why I have started writing detailed documentation for scripts, but there are a lot of them to get through.

To be fair though, in this instance, a ctrl+f for 'Destroy' in the list of scripts would turn up all three of those possibilities.

It also doesn't help that far too many of the scripts we have are written for a very specific purpose with very little flexibility, hence the proliferation of 'base defence with VTOL, without VTOL, with infantry, without infantry, with stealth, without stealth etc etc etc etc etc' type scripts. There's no reason those couldn't all have been combined into a single script with parameters to determine what it can shoot at (and, as a matter of fact, I did exactly that with dp88\_AI\_Turret).

I can help you out with the scripts I've done a hole hell of a lot of them in LE, back when I started Ren.

---

---

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [danpaul88](#) on Fri, 15 Jun 2012 17:04:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

To help you decide which script is best to use I have added and compiled documentation for all three of the scripts I mentioned earlier. Any of them would meet your objectives I believe.

JFW\_Destroy\_Self\_Timer  
Toggle Spoiler

JFW\_Timer\_Destroy\_Object  
Toggle Spoiler

JFW\_Timer\_Destroy\_Building  
Toggle Spoiler

### File Attachments

---

1) [doc\\_jfw\\_destroy\\_self\\_timer.jpg](#), downloaded 535 times

# TT Custom Scripts.dll 4.0

[Main Page](#)[Related Pages](#)[Namespaces](#)[Classes](#)[Files](#)[Class List](#)[Class Index](#)[Class Hierarchy](#)[Class Members](#)

## JFW\_Destroy\_Self\_Timer Class Reference

Destroys an object after a fixed period of time. [More...](#)

```
#include <jfwdmg.h>
```

Inheritance diagram for JFW\_Destroy\_Self\_Timer:

[List of all members.](#)

### Detailed Description

**Author:**

jonwil

This script will destroy the object it is attached to after a specified number of seconds has elapsed.

**Warning:**

Because the object is destroyed (by using `ScriptCommands::Destroy_Object()` rather than killed by `ScriptCommands::Kill()`) may cause unexpected behaviour. If you need to ensure the callback is executed consider using `JFW_Timer_Destroy()`.

**Parameters:**

**Time** Number of seconds to wait before triggering

**TimerNum** Internal ID to use for the timer to avoid clashing with any other timers on the same object

The documentation for this class was generated from the following files:

- [jfwdmg.h](#)

file:///H:/TT/scripts/scripts/documentation/html/annotated.html

2) [doc\\_jfw\\_timer\\_destroy\\_building.jpg](#), downloaded 530 times

## JFW\_Timer\_Destroy\_Building Class Reference

Destroys a building by applying damage after a fixed period of time. [More...](#)

```
#include <jfwdmg.h>
```

Inheritance diagram for JFW\_Timer\_Destroy\_Building:

[List of all members.](#)

### Detailed Description

**Author:**

jonwil

This script will apply 10,000 damage using the **Explosive** warhead to the object it is attached to after a specific

**Note:**

Although the script is intended for use with buildings it will actually work on any damagable game object

**Precondition:**

Requires a warhead called **Explosive** to be defined in armor.ini. This is already present in stock versions

**Parameters:**

**Time** Number of seconds to wait before triggering

**TimerNum** Internal ID to use for the timer to avoid clashing with any other timers on the same object

The documentation for this class was generated from the following files:

- [jfwdmg.h](#)
- [jfwdmg.cpp](#)

3) [doc\\_jfw\\_timer\\_destroy\\_object.jpg](#), downloaded 535 times



[Main Page](#)[Related Pages](#)[Namespaces](#)[Classes](#)[Files](#)[Class List](#)[Class Index](#)[Class Hierarchy](#)[Class Members](#)

## JFW\_Timer\_Destroy\_Object Class Reference

Destroys an object by applying damage after a fixed period of time. [More...](#)

```
#include <jfwdmg.h>
```

Inheritance diagram for JFW\_Timer\_Destroy\_Object:

[List of all members.](#)

### Detailed Description

**Author:**

jonwil

This script will apply a specified amount damage with a specified warhead to the object it is attached to after a

**Note:**

Although the script name implies it is purely for destroying objects it can also be used to apply a fixed a

**Parameters:**

- Time** Number of seconds to wait before triggering
- Amount** Amount of damage to apply to the object the script is attached to
- Warhead** Warhead to use when applying damage, typically **Death** a good choice here

The documentation for this class was generated from the following files:

- [jfwdmg.h](#)
- [jfwdmg.cpp](#)

Subject: Re: Destroy a Building after X Amount of Time  
Posted by [Sn1per74\\*](#) on Fri, 15 Jun 2012 18:28:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks! I appreciate the help.

---